

Hazardous Materials, CUPA Requirements



Business Perspective On Managing
Hazardous Materials & Wastes



Hazardous Materials, CUPA Requirements

Topics To Cover


- Your Hazardous Materials Business Plan
 - Facility Information
 - Hazardous Materials & Hazardous Wastes Inventory
 - Thresholds
 - Site Map
 - CERS (CA Env. Reporting System) Online Reporting
 - When Required; When Due; Updates
- Emergency & Training Plans
 - Emergency Response & Business Continuity Plans
 - Training
- Inspections
 - External
 - Internal (Best Practices)



Hazardous Materials, CUPA Requirements

Your Hazardous Materials Business Plan (HMBP)


- Is my facility covered?
 - Uses, handles or stores haz/mat (including haz/waste)
 - 500 pounds of a solid hazardous substance
 - 55 gallons of a hazardous liquid
 - 200 cubic feet of a compressed gas
 - Extremely hazardous substances (40 CFR Part 355)
 - Other - toxic gases, combustible metals, etc.
- Facility Information
 - Business Activity
 - Owner/Operator ID
 - Other Required Documentation
- Hazardous Materials (& Hazardous Wastes) Inventory
 - Thresholds
 - Guidance
- https://www.sandiegocounty.gov/content/sdc/deh/hazmat/hazmat/hmd_chem_reporting_changes.html
 - Site Map
- Recordkeeping
 - HMBP; inspection reports (internal/external); waste manifests & profiles; training docs



Hazardous Materials, CUPA Requirements

Hazardous Materials/Wastes Inventory & Site Map

- It's not just a list of chemicals you use or store, but where you use and store them
 - IPA
 - 67-63-1
 - B2, 3, 4
 - 110g
 - Underground & aboveground tanks
- Other information:
 - Utilities
 - Equipment
 - Evac/Staging
 - Surroundings & sensitive areas



Hazardous Materials, CUPA Requirements


Guidance Information & Exemptions

Combustible Metals Guidance

https://www.sandiegocounty.gov/content/dam/sdc/deh/hmd/pdf/Combustible_Metal_HMBP_Reporting.pdf

Exemptions

- SDCC 68.1116, 68.1117 & 68.1119
 - Carbon dioxide for beverage carbonation up to 6000 cu.ft. or 3500cu.ft. if cryogenic
 - Propane at commercial buildings, restaurants and RV hookup stations that handle 1000gals or less for heating, cooling or cooking
 - This does NOT include sites that dispense propane
 - Closed loop fire suppression systems



Hazardous Materials, CUPA Requirements

CERS Reporting

Completing the HMBP, instructions...

<https://www.sandiegocounty.gov/content/dam/sdc/deh/hmd/hmbp>

Completing the HMBP online - CERS

Create new or log in;
"How To" button

Entering or
uploading info

Facility; Inventory
(site map); Plans

** Call CUPA for "Create New Account" – CERS Helpdesk 858-505-6990

Hazardous Materials, CUPA Requirements

Emergency Response & Training Plans


- Emergency Response & Business Continuity Plan
 - In an emergency, what will you do?
 - In-house capabilities
 - Outside help
 - Recovery & business resumption
 - Is it safe?
- Training Plan
 - Familiarity with the “Plan” – who knows what
 - Emergency response procedures in the event of a release
 - Notification procedures
 - Procedures for the mitigation of a release to minimize potential harm to people or the environment
- Other Training
 - HazWOPER & RCRA
 - Haz/Comm



Hazardous Materials, CUPA Requirements


Passing An Inspection – What You Need to Know

- So an inspector from the Department of Environmental Health (DEH), Hazardous Materials Division, shows up at your front door. Be prepared to...
 1. Conduct a thorough tour of the facility
 - First time tour could be extensive
 - Annual tour based on HMBP info & past inspections
 2. Review paperwork (past inspections)
 3. Produce training records and any other support docs
- You have the right to...
 1. Inquire about the scope of the inspection
 2. Enlist help from other on-site “experts”
 3. Provide information at a later date
- Close out meetings
 1. Information requests (at inspection)
 2. Final draft review & signatures



Hazardous Materials, CUPA Requirements

Cobham Advanced Electronic Solutions



SDS


To look up the Safety Data Sheet (SDS) for a product, Cobham has a website where you can find the steps below:

- Go to the website
- Under the 'Hazardous Materials' tab
- On the 'Safety Data Sheet' page
- On the 'Safety Data Sheet' page, click on the 'MSDS Search' link
- That will take you to the 'MSDS Search' page
- Type in the name of the chemical and hit 'Enter' (magnifying glass icon)
- To view a copy of the SDS, click on the 'PDF' link to the left of the product name
- If you need any help, contact your supervisor


CAES PRIVATE

Weekly House

Date of Inspection:	Outdoor Locations:
Fire Protection Equipment Visual Inspection	
Item	
Is backflow in good safety features in place?	
Failure or other defect implementation date	
B1- New backflow (lock)	B2- Backflow (lock)
B3&B4- Backflow (lock)	B5- New backflow (lock)
B6- Y valve in good	
Hazardous Waste Inspection	
Item	
Is the area free of debris?	
Are container tops fitted?	Are all containers properly labeled?
Are all containers properly sealed?	Are all containers properly sealed?
Are hazardous waste containers properly labeled?	Are hazardous waste containers properly labeled?
Is the information on the label correct?	Is the information on the label correct?
Have wastes been cleaned up in time? (90 day max)	Are the containers closed?
Are the containers closed?	Are the containers closed?
Are incompatible wastes stored together?	Are incompatible wastes stored together?
Is there adequate ventilation?	Is there adequate ventilation?



vacuum boxes	instructed to dispose of boxes on 02.06.20
--------------	--



Hazardous Materials, CUPA Requirements

COBHAM

Questions?



Rick Moffett

858-560-1301

Rick.Moffett@Cobham.com

Sande Pence

858-505-6893

Sande.pence@sdcounty.ca.gov